

**HOUSE . . . . . No. 122**

---

**The Commonwealth of Massachusetts**

PRESENTED BY:

*Theodore C. Speliotis*

*To the Honorable Senate and House of Representatives of the Commonwealth of Massachusetts in General Court assembled:*

The undersigned legislators and/or citizens respectfully petition for the adoption of the accompanying bill:

An Act increasing the experience and background necessary to operate low pressure processed steam boilers..

PETITION OF:

NAME:	DISTRICT/ADDRESS:
<i>Theodore C. Speliotis</i>	<i>13th Essex</i>
<i>Frederick E. Berry</i>	
<i>Cory Atkins</i>	<i>14th Middlesex</i>
<i>Geraldine M. Creedon</i>	<i>11th Plymouth</i>
<i>Lori A. Ehrlich</i>	<i>8th Essex</i>
<i>John D. Keenan</i>	<i>7th Essex</i>

**HOUSE . . . . . No. 122**

---

By Mr. Speliotis of Danvers, a petition (accompanied by bill, House, No. 122) of Theodore C. Speliotis and others relative to increasing the experience and background necessary to operate low pressure processed steam boilers. Consumer Protection and Professional Licensure.

---

[SIMILAR MATTER FILED IN PREVIOUS SESSION  
SEE HOUSE, NO. 4558 OF 2009-2010.]

**The Commonwealth of Massachusetts**

\_\_\_\_\_  
**In the Year Two Thousand Eleven**  
\_\_\_\_\_

An Act increasing the experience and background necessary to operate low pressure processed steam boilers..

*Be it enacted by the Senate and House of Representatives in General Court assembled, and by the authority of the same, as follows:*

1           SECTION 1. Section 1 of chapter 146, as appearing in the 2006 Official Edition, is  
2 hereby amended by inserting, in line 17, after the words “a district engineer inspector” the  
3 words: - “who shall be a licensed Massachusetts First Class Engineer”.

4           SECTION 2. Notwithstanding any General or special law or any rule or regulation to the  
5 contrary Section 13 of chapter 146, as appearing in the 2006 Official Edition, is hereby amended  
6 by inserting, after line 7, the following new section:- “All facilities with low pressure processed  
7 steam boilers below fifteen (15) pounds involved in the process, production and manufacturing  
8 of a product or commodity, or chemicals, shall require periodic attendance as defined in Section  
9 46 of Chapter 146 of the General Laws as appearing in the 2008 Official Edition. Said boilers  
10 shall be operated and maintained by a dually licensed second class fireman. This license must be

- 11 renewed every five (5) years and shall require thirty (30) hours of training from an approved
- 12 school by the department of public safety”.