HOUSE No. 2361

The Commonwealth of Massachusetts

PRESENTED BY:

Elizabeth A. Malia

To the Honorable Senate and House of Representatives of the Commonwealth of Massachusetts in General Court assembled:

The undersigned legislators and/or citizens respectfully petition for the adoption of the accompanying bill:

An Act to expand naloxone access.

PETITION OF:

NAME:	DISTRICT/ADDRESS:	DATE ADDED:
Elizabeth A. Malia	11th Suffolk	2/16/2021
Jon Santiago	9th Suffolk	6/15/2021
Jack Patrick Lewis	7th Middlesex	12/16/2021

HOUSE No. 2361

By Ms. Malia of Boston, a petition (accompanied by bill, House, No. 2361) of Elizabeth A. Malia for legislation to expand naloxone access. Public Health.

The Commonwealth of Alassachusetts

In the One Hundred and Ninety-Second General Court (2021-2022)

An Act to expand naloxone access.

1

2

3

4

5

6

7

8

9

10

11

12

Be it enacted by the Senate and House of Representatives in General Court assembled, and by the authority of the same, as follows:

SECTION 1. Chapter 94C of the General Laws, as appearing in the 2018 Official edition,

is hereby amended by inserting after section 18C the following new section:-

Section 18D. In the event that a practitioner issues a prescription for an opioid contained in Schedule II of section 3, the practitioner shall also issue a prescription for an opioid antagonist if one of the following conditions is present: (i) the patient is prescribed an opioid which individually or in aggregate with other medications is more than equal to 50 morphine milligram equivalents per day; (ii) the patient is prescribed any dose of an opioid when a benzodiazepine has been prescribed in the past 30 days or will be prescribed at the visit; or (iii) the patient has a prior history of opioid use disorder or overdose or has a history of substance use disorder. If the practitioner does not co-prescribe an opioid antagonist at the time said prescription for an opioid is issued, the practitioner shall document in the patient's medical record why co-prescription of an opioid antagonist was not appropriate for the patient.