

CHARLES D. BAKER Governor

KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health **Community Sanitation Program** 67 Forest Street, Suite # 100 Marlborough, MA 01752

MARYLOU SUDDERS Secretary

MARGRET R. COOKE **Acting Commissioner**

> Tel: 617-624-6000 www.mass.gov/dph

December 13, 2021

Matthew Divris, Superintendent NCCI Gardner 500 Old Colony Road Gardner, MA 01440

(electronic copy)

Re: Plan of Correction - NCCI Gardner

Dear Superintendent Divris:

The Massachusetts Department of Public Health, Community Sanitation Program (CSP) has received your Plan of Correction dated December 2nd, 2021. After review, the CSP finds the plan appropriately addresses all of the violations noted in the report with the following exceptions:

1. 105 CMR 451.109 states: A handwash sink shall be located near each toilet. Please identify when a sink will be installed in the Assembly Building Basement Mail Room Bathroom and in the interim what measures you have implemented to ensure the health and safety of staff in this area.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Kelli Poulin

Helli Pouli

Environmental Health Inspector, CSP, BEH

Margret R. Cooke, Acting Commissioner, DPH cc:

Nalina Narain, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services (electronic copy) (electronic copy)

Carol A. Mici, Commissioner, DOC Terence Reidy, Secretary, EOPSS

Timothy Gotovich, Director, Policy Development and Compliance Unit

Mike Gallagher, EHSO Maurice Campbell, EHSO

Lauren Saunders, Health Director, Gardner Health Department

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate

(electronic copy) (electronic copy)

(electronic copy)

(electronic copy)

(electronic copy)

(electronic copy)

(electronic copy)