



MAURA T. HEALEY
Governor

KIMBERLEY DRISCOLL
Lieutenant Governor

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Climate and Environmental Health
Community Sanitation Program
128 East Mountain Road
Westfield, MA 01085-1889
Phone: 617-448-3373

KATHLEEN E. WALSH
Secretary

ROBERT GOLDSTEIN, MD, PhD
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

November 3, 2023

Patrick J. Cahillane, Sheriff
Hampshire County Jail and House of Correction
205 Rocky Hill Road
Northampton, MA 01060 (electronic copy)

Re: Plan of Correction – Hampshire County Jail and House of Correction, Northampton

Dear Sheriff Cahillane:

The Massachusetts Department of Public Health, Community Sanitation Program (CSP) has received your Plan of Correction in response to my inspection on October 13, 2023. After review, the CSP finds the plan appropriately addresses all of the violations noted.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Scott Koczela
Environmental Analyst, CSP, BCEH

cc: Robert Goldstein, MD, PhD, Commissioner, DPH
Nalina Narain, Director, BCEH
Steven Hughes, Director, CSP, BCEH
Kathleen E. Walsh, Secretary, Executive Office of Health and Human Services (electronic copy)
Carol A. Mici, Commissioner, DOC (electronic copy)
Terrence Reidy, Secretary, EOPSS (electronic copy)
Timothy Gotovich, Director, Policy Development and Compliance Unit (electronic copy)
Glenn Sexton, Superintendent (electronic copy)
Lieutenant Bryan Luszcki, Compliance Officer (electronic copy)
Merridith O'Leary, Director, Northampton Board of Health (electronic copy)
Clerk, Massachusetts House of Representatives (electronic copy)
Clerk, Massachusetts Senate (electronic copy)



THE COMMONWEALTH OF MASSACHUSETTS

Hampshire Sheriff's Office Jail & House of Correction

P.O. Box 7000
205 Rocky Hill Road
Northampton, Massachusetts 01061-7000

Sheriff

PATRICK J. CAHILLANE

Superintendent

GLEN N. SEXTON



TELEPHONE

(413) 584-5911

FAX

(413)-584-2695

October 31, 2022

Mr. Scott Koczela
Environmental Analyst, CSP, BEH
Commonwealth of Massachusetts
Executive Office Health & Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
23 Service Center Road
Northampton, MA 01060

Re: Hampshire County Jail & HOC Inspection dated October 13, 2023

Dear Mr. Koczela,

At your request the following items have been addressed, please refer to the enclosed documentation for the corrective actions that have been taken.

Sincerely yours,


Patrick J. Cahillane
Sheriff

PJC:bl
Enclosure

cc: Robert Goldstein, MD, PhD, Commissioner, DPH	(electronic copy)
Nalina Narain, Director, BCEH	(electronic copy)
Steven Hughes, Director, CSP, BCEH	(electronic copy)
Kathleen E. Walsh, Secretary, Executive Office of Health and Human Services	(electronic copy)
Carol A. Mici, Commissioner, DOC	(electronic copy)
Terrence Reidy, Secretary, EOPSS	(electronic copy)
Timothy Gotovich, Director, Policy Development and Compliance Unit	(electronic copy)
Glenn Sexton, Superintendent	(electronic copy)
Lieutenant Bryan Luszczki, Compliance Officer	(electronic copy)
Merridith O'Leary, Director, Northampton Board of Health	(electronic copy)
Clerk, Massachusetts House of Representatives	(electronic copy)
Clerk, Massachusetts Senate	(electronic copy)

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

LOBBY

No Violations Noted

Female Bathroom

No Violations Noted

Male Bathroom

No Violations Noted

ADMINISTRATION

Lobby Control Area

No Violations Noted

Bathroom

No Violations Noted

Offices

No Violations Noted

Break Area

No Violations Noted

Bathroom (located within Break Area)

No Violations Noted

Bathroom (located outside Records Area)

No Violations Noted

Front Administration

Staff Break Area

No Violations Noted

Staff Bathroom

No Violations Noted

Offices

No Violations Noted

Main Control

No Violations Noted

Control Bathroom

No Violations Noted

Male Staff Locker Area

No Violations Noted

Bathroom

105 CMR 451.123

Maintenance: Ceiling vent dusty
Ceiling vent cleaned as of 10/25/23

105 CMR 451.123 Maintenance: Electric hand dryer out-of-order
Electric hand dryer tested by Maintenance and found to be in good working order
10/25/23

Staff Gym

No Violations Noted

MEDICAL

Medical Reception Office

No Violations Noted

Medical Waste Storage Room

No Violations Noted

Medical Waste Shipping Records

No Violations Noted

Staff Bathroom

No Violations Noted

Exam Room

No Violations Noted

Optometry Office

No Violations Noted

Tub Room

No Violations Noted

Storage

No Violations Noted

HALLWAY (outside Medical)

No Violations Noted

Press Boxes

No Violations Noted

Maintenance Closet

105 CMR 451.353*

Interior Maintenance: Ceiling vent dusty

Ceiling vent cleaned as of 10/25/23

105 CMR 451.353*

Interior Maintenance: Wet mop stored in bucket

Mop corrected as of 10/13/23

Supply Closet

Unable to Inspect – Locked

SPECIAL MANAGEMENT UNIT

Control

No Violations Noted

Bathroom

No Violations Noted

A Block

Cells

105 CMR 451.350 Structural Maintenance: Ceiling damaged in cell # J1
Ceiling damage to be fixed by 11/30/23

Upper Shower

105 CMR 451.123 Maintenance: Soap scum on floor in shower
Shower floor cleaned as of 10/26/23

105 CMR 451.123 Maintenance: Soap scum on walls in shower
Shower walls cleaned as of 10/26/23

105 CMR 451.123 Maintenance: Soap scum on curtain in shower
Shower curtain replaced as of 10/26/23

Storage Closet (upper)

Unable to Inspect – Not in Use

Lower Shower

105 CMR 451.123 Maintenance: Soap scum on floor in shower
Shower floor cleaned as of 10/26/23

105 CMR 451.123 Maintenance: Soap scum on walls in shower
Shower walls cleaned as of 10/26/23

105 CMR 451.123 Maintenance: Shower curtain damaged
Shower curtain replaced as of 10/26/23

Storage Closet (lower)

No Violations Noted

HOUSING UNITS

Control

No Violations Noted

Bathroom

No Violations Noted

Unit – 1

Cells

No Violations Noted

Shower

105 CMR 451.123* Maintenance: Floor paint damaged in shower
Floor paint to be fixed by 12/31/23

105 CMR 451.123 Maintenance: Mold observed on floor in shower
Mold to be remediated by 11/30/23

Storage Closet

105 CMR 451.353 Interior Maintenance: Wall vent dusty
Wall vent cleaned as of 10/26/23

105 CMR 451.353 Interior Maintenance: Floor paint damaged
Floor paint to be fixed by 12/31/23

Unit – 3

Cells

No Violations Noted

Lower Shower
105 CMR 451.123* Maintenance: Ceiling paint damaged in shower
Ceiling paint to be fixed by 12/31/23
105 CMR 451.123* Maintenance: Mold observed on ceiling in shower
Mold to be remediated by 11/30/23

Storage Closet (lower)
105 CMR 451.353 Interior Maintenance: Wall vent dusty
Wall vent cleaned as of 10/26/23

Upper Shower
105 CMR 451.123* Maintenance: Soap scum on floor in shower
Shower cleaned as of 10/26/23
105 CMR 451.123* Maintenance: Soap scum on walls in shower
Shower cleaned as of 10/26/23
105 CMR 451.123* Maintenance: Floor epoxy damaged in shower
Shower floor to be fixed by 12/31/23

Storage Closet (upper)
Unable to Inspect – Not in Use

Unit – 4

Cells
No Violations Noted

Upper Shower
105 CMR 451.123 Maintenance: Soap scum on floor in shower
Shower cleaned as of 10/26/23
105 CMR 451.123 Maintenance: Soap scum on walls in shower
Shower cleaned as of 10/26/23

Storage Closet (upper)
Unable to Inspect – Not in Use

Lower Shower
105 CMR 451.123* Maintenance: Floor epoxy damaged in shower
Floor epoxy to be fixed by 12/31/23

Storage Closet (lower)
105 CMR 451.353 Interior Maintenance: Wall vent dusty
Wall vent cleaned as of 10/26/23

Unit – 5

Cells
No Violations Noted

Upper Shower
105 CMR 451.123* Maintenance: Floor paint damaged in shower
Floor paint to be fixed by 12/31/23

Storage Closet (upper)
Unable to Inspect – Not in Use

Lower Shower

105 CMR 451.123*

Maintenance: Floor paint damaged in shower

Floor paint to be fixed by 12/31/23

Storage Closet (lower)

No Violations Noted

Unit – 6

Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # C53

Mattress exchanged as of 12/26/23

Upper Shower

No Violations Noted

Storage Closet (upper)

Unable to Inspect – Not in Use

Lower Shower

105 CMR 451.123

Maintenance: Soap scum on floor in shower

Shower floor cleaned as of 10/26/23

105 CMR 451.123

Maintenance: Soap scum on walls in shower

Shower walls cleaned as of 10/26/23

105 CMR 451.123

Maintenance: Soap scum on curtain in shower

Shower curtain replaced as of 10/26/23

105 CMR 451.123*

Maintenance: Ceiling damaged in shower

Shower ceiling to be fixed by 12/31/23

Storage Closet (lower)

No Violations Noted

Unit – 7

Cells

No Violations Noted

Upper Shower

105 CMR 451.123

Maintenance: Mold observed on ceiling in shower

Mold to be remediated by 11/30/23

Storage Closet (upper)

Unable to Inspect – Not in Use

Lower Shower

105 CMR 451.123*

Maintenance: Mold observed on ceiling in shower

Mold to be remediated by 11/30/23

105 CMR 451.123*

Maintenance: Ceiling damaged in shower

Shower ceiling to be fixed by 12/31/23

Storage Closet (lower)

105 CMR 451.353

Interior Maintenance: Wet mop stored upside down

Mop fixed as of 10/13/23

Unit – 8

Cells

No Violations Noted

Upper Shower

105 CMR 451.123

Maintenance: Soap scum on floor in shower

Shower floor cleaned as of 10/26/23

Storage Closet (upper)

No Violations Noted

Lower Shower

105 CMR 451.123*

Maintenance: Soap scum on floor in shower

Shower floor cleaned as of 10/26/23

105 CMR 451.123*

Maintenance: Soap scum on walls in shower

Shower walls cleaned as of 10/26/23

Storage Closet (lower)

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Wet mop corrected as of 10/13/23

105 CMR 451.353*

Interior Maintenance: Wall vent dusty

Wall vent cleaned as of 10/26/23

Control Booth

No Violations Noted

Bathroom

No Violations Noted

Case Worker's Office

No Violations Noted

MAIN BUILDING GYM

No Violations Noted

Storage Closet

No Violations Noted

Workout Room

No Violations Noted

Weight Room

No Violations Noted

Inmate Bathroom

No Violations Noted

Maintenance Closet (located within Inmate Bathroom)

Unable to Inspect – Locked

Female Staff Locker Room

Unable to Inspect – Locked

Bathroom (located within Female Staff Locker Room)

Unable to Inspect – Locked

Control

No Violations Noted

LOWER LEVEL HOUSING

Supply Closet

No Violations Noted

Laundry Area

No Violations Noted

Control

No Violations Noted

Bathroom

No Violations Noted

SALLY PORT/INTAKE

Booking Office

Unable to Inspect – Locked

Cells

No Violations Noted

Shower

105 CMR 451.123*

Maintenance: Floor damaged in shower
Shower floor to be fixed by 12/31/23

Storage Closet

No Violations Noted

Bathroom (outside Control)

No Violations Noted

Control

Unable to Inspect – Locked

Bathroom

Unable to Inspect – Locked

PROGRAM HALLWAY

Law Library

No Violations Noted

Office (located withing Law Library)

No Violations Noted

Training Room

No Violations Noted

Barber Shop
No Violations Noted

Staff Bathroom
No Violations Noted

Captain's Office
No Violations Noted

Library
No Violations Noted

Wood Shop
No Violations Noted

Office
No Violations Noted

Staff Bathroom
No Violations Noted

Inmate Bathroom
No Violations Noted

Adult Learning Center
No Violations Noted

Staff Bathroom
No Violations Noted

Inmate Bathroom
No Violations Noted

VISITING STRIP SEARCH AREA

Search Room
No Violations Noted

Bathroom
No Violations Noted

Maintenance Closet
No Violations Noted

Visiting Area
No Violations Noted

Storage Room
Unable to Inspect – Locked

Bathroom
No Violations Noted

KITCHEN

Staff Bathroom

105 CMR 451.123*

Maintenance: Ceiling vent dusty
Ceiling vent cleaned as of 10/26/23

Pot Room

No Violations Noted

Food Prep Area (outside Pot Room)

No Violations Noted

Walk-in Freezer # 1

No Violations Noted

Walk-in Cooler # 2

No Violations Noted

Walk-in Cooler # 3

No Violations Noted

Handwash Sink

No Violations Noted

3-Compartment Sink

No Violations Noted

Serving Line

No Violations Noted

Dishwashing Area

No Violations Noted

True Refrigerator # 4

No Violations Noted

2-Compartment Sink

No Violations Noted

Food Prep Area (behind Juice Machine)

No Violations Noted

Ventilation Hood Area

No Violations Noted

Dry Storage

No Violations Noted

Deep Freezer # 6

No Violations Noted

Inmate Clothing Storage

No Violations Noted

<i>Ice Machine</i>	No Violations Noted
<i>Inmate Bathroom</i>	No Violations Noted
<i>Mop Room</i>	No Violations Noted
<i>Chemical Storage Room</i>	No Violations Noted
<u>DUMPSTER AREA</u>	No Violations Noted
<u>LAUNDRY</u>	No Violations Noted
<i>Bathroom</i>	No Violations Noted
<i>Storage Room</i>	No Violations Noted
<u>MODULAR UNITS</u>	
Control	No Violations Noted
<i>Control Bathroom</i>	No Violations Noted
Old Dining Area/Case Worker's Area	No Violations Noted
<i>Bathroom</i>	No Violations Noted
<i>Dental Office</i>	No Violations Noted
<i>Office # 52</i>	No Violations Noted
<i>Office # 53</i>	No Violations Noted
<i>Office # 54</i>	No Violations Noted
<i>Office # 55</i>	No Violations Noted

Culinary Arts Kitchen

Traulsen Cooler

No Violations Noted

Dishwashing Machine

FC 4-703.11(B)

Sanitization of Equipment and Utensils; Methods: Mechanical warewash machine does not achieve a utensil surface temperature of 160°F as measured by an irreversible registering temperature indicator^P, temperature recorded at 153°F
Mechanical warewash machine to be fixed by 11/30/23

Mop Area

No Violations Noted

Spice Rack

No Violations Noted

Food Preparation Area

No Violations Noted

Ventilation Hood

No Violations Noted

True Freezer

No Violations Noted

Handwash Sink

No Violations Noted

2-Compartment Sink

No Violations Noted

3-Compartment Sink

No Violations Noted

North Housing Unit

Bathroom

105 CMR 451.130

Plumbing: Plumbing not maintained in good repair, sink # 9 out-of-order
Sink to be fixed by 10/31/23

Utility Sink Area

No Violations Noted

Showers

No Violations Noted

Day Room

No Violations Noted

Dorm Room # 101

No Violations Noted

Officer's Station

No Violations Noted

Dorm Room # 102

No Violations Noted

Dorm Room # 103
105 CMR 451.141*

Screens: Screen damaged
Screen to be repaired/replaced by 11/30/23

Dorm Room # 104

No Violations Noted

Dorm Room # 105

No Violations Noted

Dorm Room # 106

No Violations Noted

South Housing Unit

Bathroom

No Violations Noted

Utility Sink Area

No Violations Noted

Showers
105 CMR 451.123

Maintenance: Soap scum on floor in shower # 2 and 3
Shower floor cleaned as of 10/26/23

Day Room

No Violations Noted

Dorm Room # 201

No Violations Noted

Officer's Station

No Violations Noted

Dorm Room # 202

No Violations Noted

Dorm Room # 203

No Violations Noted

Dorm Room # 204

No Violations Noted

Dorm Room # 205

No Violations Noted

Dorm Room # 206

No Violations Noted

OLD CANE SHOP BUILDING

Testing Center

No Violations Noted

Bathroom

No Violations Noted

Property

Unable to Inspect – Locked

REGIONAL LOCKUP

Lobby Bathroom

No Violations Noted

Main Desk

No Violations Noted

Staff Bathroom

No Violations Noted

A – Block

105 CMR 451.103

Mattresses: Mattress damaged in cell
Mattress replaced as of 10/26/23

B – Block

105 CMR 451.103

Mattresses: Mattress damaged in cell
Mattress replaced as of 10/26/23

C – Block

No Violations Noted

D – Block

No Violations Noted

Kitchenette

No Violations Noted

Booking

No Violations Noted

Janitor's Closet

No Violations Noted

Bathroom

No Violations Noted

Bullpen

No Violations Noted

Sally Port Hallway

No Violations Noted

MAINTENANCE GARAGE

Office

No Violations Noted

Key Room

No Violations Noted

Office Bathroom

No Violations Noted

Tool Room

No Violations Noted

Chemical Storage Room

No Violations Noted

Garage Bathroom

No Violations Noted

Shop Area

105 CMR 451.200

Food Storage, Preparation and Service: Food preparation not in compliance with 105 CMR 590.000, interior of microwave oven dirty
Microwave cleaned as of 10/26/23

Observations and Recommendations

1. The inmate population was 132 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment Regulations or download a copy, please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Retail food". Then under DPH Regulations and FDA Code click "Merged Food Code" or "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Program regulations". Then under Food Processing click "105 CMR 500.000: Good Manufacturing Practices for Food".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Scott Koczela
Environmental Analyst, CSP, BCEH



MAURA T. HEALEY
Governor

KIMBERLEY DRISCOLL
Lieutenant Governor

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Climate and Environmental Health
Community Sanitation Program
128 East Mountain Road
Westfield, MA 01085-1889
Phone: 617-448-3373

KATHLEEN E. WALSH
Secretary

ROBERT GOLDSTEIN, MD, PhD
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

November 3, 2023

Patrick J. Cahillane, Sheriff
Hampshire County Jail and House of Correction
205 Rocky Hill Road
Northampton, MA 01060 (electronic copy)

Re: Plan of Correction – Hampshire County Jail and House of Correction, Pre-Release Center, Northampton

Dear Sheriff Cahillane:

The Massachusetts Department of Public Health, Community Sanitation Program (CSP) has received your Plan of Correction in response to my inspection on October 13, 2023. After review, the CSP finds the plan appropriately addresses all of the violations noted.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Scott Koczela
Environmental Analyst, CSP, BCEH

cc: Robert Goldstein, MD, PhD, Commissioner, DPH
Nalina Narain, Director, BCEH
Steven Hughes, Director, CSP, BCEH
Kathleen E. Walsh, Secretary, Executive Office of Health and Human Services (electronic copy)
Carol A. Mici, Commissioner, DOC (electronic copy)
Terrence Reidy, Secretary, EOPSS (electronic copy)
Timothy Gotovich, Director, Policy Development and Compliance Unit (electronic copy)
Glenn Sexton, Superintendent (electronic copy)
Lieutenant Bryan Luszcki, Compliance Officer (electronic copy)
Merridith O'Leary, Director, Northampton Board of Health (electronic copy)
Clerk, Massachusetts House of Representatives (electronic copy)
Clerk, Massachusetts Senate (electronic copy)



THE COMMONWEALTH OF MASSACHUSETTS

Hampshire Sheriff's Office Jail & House of Correction

P.O. Box 7000
205 Rocky Hill Road
Northampton, Massachusetts 01061-7000



Sheriff

PATRICK J. CAHILLANE

Superintendent

GLEN N. SEXTON

TELEPHONE

(413) 584-5911

FAX

(413)-584-2695

October 31, 2022

Mr. Scott Koczela
Environmental Analyst, CSP, BEH
Commonwealth of Massachusetts
Executive Office Health & Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
23 Service Center Road
Northampton, MA 01060

Re: Hampshire County Minimum/Pre-Release Inspection dated October 13, 2023

Dear Mr. Koczela,

At your request the following items have been addressed, please refer to the enclosed documentation for the corrective actions that have been taken.

Sincerely yours,


Patrick J. Cahillane
Sheriff

PJC:bl
Enclosure

cc:	Robert Goldstein, MD, PhD, Commissioner, DPH	(electronic copy)
	Nalina Narain, Director, BCEH	(electronic copy)
	Steven Hughes, Director, CSP, BCEH	(electronic copy)
	Kathleen E. Walsh, Secretary, Executive Office of Health and Human Services	(electronic copy)
	Carol A. Mici, Commissioner, DOC	(electronic copy)
	Terrence Reidy, Secretary, EOPSS	(electronic copy)
	Timothy Gotovich, Director, Policy Development and Compliance Unit	(electronic copy)
	Glenn Sexton, Superintendent	(electronic copy)
	Lieutenant Bryan Luszciski, Compliance Officer	(electronic copy)
	Merridith O'Leary, Director, Northampton Board of Health	(electronic copy)
	Clerk, Massachusetts House of Representatives	(electronic copy)
	Clerk, Massachusetts Senate	(electronic copy)

HEALTH AND SAFETY VIOLATIONS

ADMINISTRATION BUILDING

Right Office

No Violations Noted

Left Office

No Violations Noted

Tool Shed

No Violations Noted

MINIMUM SECURITY HOUSING

Basement

Conference Room

No Violations Noted

Weight Room

105 CMR 451.350

Structural Maintenance: Ceiling damaged

Ceiling to be fixed by 11/30/23

105 CMR 451.353

Interior Maintenance: Padding damaged on bench press machine

Padding to be fixed by 11/30/23

Bedroom # A1

No Violations Noted

Laundry Room

No Violations Noted

Dry Storage Closet

No Violations Noted

1st Floor

Kitchen

No Violations Noted

Offices

No Violations Noted

Day Room

No Violations Noted

Bedroom # A2

105 CMR 451.353

Interior Maintenance: Unfinished ceiling

Ceiling to be fixed by 11/30/23

Bathroom

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Paper towels provided as of 10/26/23

105 CMR 451.123

Maintenance: Ceiling vent dusty

Ceiling vent cleaned as of 10/26/23

Bedroom # A3
105 CMR 451.141

Screens: Screen missing
Screen to be replaced by 11/03/23

2nd Floor

Bedroom # A4

No Violations Noted

Bathroom
105 CMR 451.123

Maintenance: Ceiling damaged above shower
Shower ceiling to be fixed by 11/30/23

105 CMR 451.126

Hot Water: Hot water temperature recorded at 67⁰F at handwash sink
Handwash sink faucet to be replaced by 11/30/23

105 CMR 451.130

Plumbing: Plumbing not maintained in good repair, handwash sink faucet fixture damaged
Handwash sink faucet to be replaced by 11/30/23

Bedroom # A5

No Violations Noted

Office

No Violations Noted

PRE-RELEASE HOUSING

Basement

No Violations Noted

1st Floor

Day Room

No Violations Noted

Bedroom # 8

No Violations Noted

Kitchen

No Violations Noted

Bedroom # 7
105 CMR 451.350

Structural Maintenance: Ceiling damaged
Ceiling to be fixed by 11/30/23

Bathroom
105 CMR 451.123

Maintenance: Unfinished ceiling
Ceiling to be fixed by 11/30/23

105 CMR 451.123

Maintenance: Shield missing from handwash sink vanity light
Vanity light fixture to be fixed by 11/30/23

2nd Floor

Staff Bathroom
105 CMR 451.123

Maintenance: Mirror damaged above handwash sink
Mirror to be replaced by 11/30/23

Shower

Unable to Inspect – Not in Use

Bedroom # 8

No Violations Noted

Bedroom # 9

No Violations Noted

Bedroom # 10

No Violations Noted

Bedroom # 11

No Violations Noted

Bedroom # 12

No Violations Noted

Observations and Recommendations

1. The inmate population was 11 at the time of inspection.
2. Hot water temperature range for handwash sinks is 110°F-130°F.
3. The Basement in the Pre-Release Housing Building was used exclusively for storage.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.


To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment Regulations or download a copy, please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Retail food". Then under DPH Regulations and FDA Code click "Merged Food Code" or "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Program regulations". Then under Food Processing click "105 CMR 500.000: Good Manufacturing Practices for Food".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Scott Koczela
Environmental Analyst, CSP, BCEH